

Safety Data Sheet

Revision Date: 22-Dec-2017 Version 2 Issue Date: 12-Nov-2012

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Eco Muscle Cleaner

Other means of identification

SDS# BE-6014 **Product Code** 6014 UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Concentrated Spray and Wipe Cleaner, Water Based.

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc. 2700 Wagner Place

Maryland Heights, MO 63043 USA

Emergency Telephone Number

Company Phone Number

1-314-291-1900

Emergency Telephone (24 hr) Transportation - INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

2. HAZARDS IDENTIFICATION

Appearance Orange/red solution

Physical State Liquid

Odor None No fragrance added

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Revision Date: 22-Dec-2017

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: Call a poison center or doctor/physician

Rinse mouth

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Phenoxyethanol	122-99-6	<20
Benzyl alcohol	100-51-6	<20
Octanoic Acid	124-07-2	<10
Dodecyl benzene sulfonic acid	27176-87-0	<4
Sodium hydroxide	1310-73-2	<3

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Get medical attention if irritation develops or

persists.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to Ingestion

an unconscious person. Get medical attention.

Revision Date: 22-Dec-2017

Most important symptoms and effects

Causes severe skin burns and eye damage. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically,

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal Advice on Safe Handling

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face,

hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store at

room temperature. Store locked up.

Packaging Materials May damage some plastics.

Incompatible Materials Chlorine bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 22-Dec-2017

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use safety glasses or chemical splash goggles.

Skin and Body Protection Wear rubber gloves or other impervious gloves.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Orange/red solution Odor None No fragrance added

Color Red-orange Odor Threshold Not determined

Property <u>Values</u> <u>Remarks • Method</u>

pH $10.4 \pm 0.2 \text{ (conc)}$

Melting Point/Freezing Point 10.2 ± 0.2 (1:6 dilution) Not determined

Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point None Tag Closed Cup Evaporation Rate 1.0 (Water = 1)

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits Not applicable
Lower Flammability Limit Not applicable
Vapor Pressure Not determined
Vapor Density Not determined

Specific Gravity 1.058 (1=Water)

Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not applicable **Decomposition Temperature** Not determined Kinematic Viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Page 4/8

10. STABILITY AND REACTIVITY

Revision Date: 22-Dec-2017

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Chlorine bleach.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye ContactCauses severe eye damage.Skin ContactCauses severe skin burns.InhalationAvoid breathing vapors or mists.IngestionMay be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L(Rat)4 h
Phenoxyethanol 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit) = 14422 mg/kg (Rat)	*
Octanoic Acid 124-07-2	= 10080 mg/kg (Rat)	> 5 g/kg (Rabbit)	
Dodecyl benzene sulfonic acid 27176-87-0	= 500 mg/kg (Rat)		:25
Sodium hydroxide 1310-73-2	₹	= 1350 mg/kg (Rabbit)	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Revision Date: 22-Dec-2017

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Phenoxyethanol 122-99-6	500: 72 h Desmodesmus subspicatus mg/L EC50	337 - 352: 96 h Pimephales promelas mg/L LC50 flow- through 366: 96 h Pimephales promelas mg/L LC50 static 220 - 460: 96 h Leuciscus idus mg/L LC50 static	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
Octanoic Acid 124-07-2		310: 96 h Oryzias latipes mg/L LC50 semi-static 110: 96 h Brachydanio rerio mg/L LC50 semi-static		170: 24 h Daphnia magna mg/L EC50
Dodecyl benzene sulfonic acid 27176-87-0	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static		5.88: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Benzyl alcohol 100-51-6	1.1
Phenoxyethanol 122-99-6	1.13
Octanoic Acid 124-07-2	2.92

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Revision Date: 22-Dec-2017

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

<u>Note</u> Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

Hazard Class Packing Group Ш

IATA

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

Hazard Class Packing Group 111

IMDG

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)

Hazard Class Ш **Packing Group**

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Phenoxyethanol	Present	Х		Present		Present	X	Present	Х	Х
Benzyl alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Octanoic Acid	Present	X		Present		Present	Х	Present	Х	Х
Dodecyl benzene sulfonic acid	Present	Х		Present		Present	Х	Present	Х	Х
Sodium hydroxide	Present	Х		Present		Present	X	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dodecyl benzene sulfonic acid	1000 lb		RQ 1000 lb final RQ
27176-87-0			RQ 454 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

Revision Date: 22-Dec-2017

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Phenoxyethanol - 122-99-6	122-99-6	20	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dodecyl benzene sulfonic acid	1000 lb			Х
Sodium hydroxide	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6	<u> </u>	X	X
Phenoxyethanol 122-99-6	X		Х
Dodecyl benzene sulfonic acid 27176-87-0	X	Х	Х
Sodium hydroxide 1310-73-2	Х	X	Х

16. OTHER INFORMATION

NFPA **Health Hazards** Flammability Instability **Special Hazards** Not determined HMIS **Health Hazards** Flammability **Physical Hazards Personal Protection** Not determined Not determined Not determined Not determined

Issue Date: 12-Nov-2012 **Revision Date:** 22-Dec-2017

Revision Note: Telephone number update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet